# INSTRUCTION MANUAL

# SOUND ART



- Parts: 1. 3.5mm AUX input 2. Power switch: on/off 3. Micro USB charging port 4. LED indicators (red LED on means charging and LED off means end of charging; blue LED on means wireless pairing and LED off means end of pairing)

## Accessories:

USB Charging Cable (2m) x 1pc Instruction manual x 1pc

Specifications: Product Size: L310 x W223 x H23mm Speaker: 24mm 4 ohms Rated power: 3W

Battery Parameters: Capacity: 500mAh, 3.7V, Li-ion Battery Music Playback Time: 5 hours at 70% Volume Charging Standard: Dc 5V, 500mAh Charging Time: Around 1 hours

## Wireless Parameters:

Operation Frequency: 2.400GHz - 2.480GHz Power Output (Peak): Class 2 / 2dbm Received Sensitivity: -85dbm Operating Range: Around 8-10m

- Operations with mobile: 1. Turns on the power of speaker 2. Activate wireless connection in mobile 3. Search the wireless devices named as "Wireless Panel
- Speaker" 4. Pairing 5. Connect and play music

Compatibility: - Be applicable to most wireless devices. - Be applicable to most 3.5mm audio out devices

Placement Wireless Panel Speaker can place in vertical / horizontal on the table.



- Troubleshooting: 1. Wireless is a bidirectional transmitting protocol; transmitting distance is highly related to the audio player.
- transmitting distance is highly related to the audio player.
  2. When the speaker cannot be connected, please delete the rest Wireless devices name on the list of user's computer / mobile phone. Then, follow the steps in operation instructions.
  3. The sound performance could also be affected under poor signal environment, or product is low battery capacity. Please move the product to environment with strong signal or charging the product.

- Caution:
  This product must for indoor use.
  This product is not suitable to use in bathroom, high humidity and high temperature environment.
  This product is not suitable for children under 36 months due to small parts.
  This product is not a toy. Please retain these instructions

COPYRIGHT DESIGN